# MAXHUB X3 Conference Flat Panel



# Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us

### All in One

Projector Electronic Whiteboard Remote Device Tablet Audio System

Intelligent whiteboard creates smooth writing



HD video conferencing



Annotate collaboratively with any input channel



Wireless mirroring







Microphone array techni-que to extract voice input



Triple cameras for HD video quality



Anti-glare 4K HD display



Dual system modular design

Satisfying your conference needs

# Small and medium-size meeting room

4K HD Anti-glare display

Smooth Writing and collaborative annotation

Wireless Mirroring \*with mobile devices or PC

Convenient sharing of conference records

Cloud storage of conference files

#### Recommended configuration

- (1) MAXHUB Flat Panel
- 2 MAXHUB Wireless Screen Sharing Dongle



# Large conference hall

Large-size LED HD display

Real-time screen sharing between multiple screens \*

Projecting image from PC or Smartphone with one click

Smooth writing and collaborative annotation

Quick switch between welcome surface and wireless mirroring

#### Recommended configuration

- 1 MAXHUB Integrated LED Display Terminal
- ② MAXHUB conference flat panel 或 MAXHUB Mirroring Box
- 3 MAXHUB Wireless Mirroring BOX







\* Dual terminal writing and real time content sharing can be achieved with the connection between MAXHUB Conference Flat Panel and MAXHUB Integrated LED Display Terminal.




Optimize and upgrade conventional display equipment


Connecting the projected TV, without the limitation of cables

Wireless mirroring with smartphones, Tablets, and PC, just needs one click\*

Supporting multi-computer mirroring\*, with quick and easy switch\*



- ① MAXHUB Mirroring Box
- 2 Projector etc. Display Apparatus
  - ③ MAXHUB Wireless Mirroring



- \*Please pair them before the first use
- support up to 8 computers' image switch.



#### Teleconference

Flexible switch between local and tele-conference

HD video expands the vision

Remote screen sharing and real time annotation sharing

Encryption algorithm to guarantee information security\*



# Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us

#### Product series

#### **MAXHUB Standard**

(S Series)



1.3cm Ultra narrow frame\*

4K HD Display

8-megapixel built-in camera

6 arrays built-in microphone

High precision infrared touch control technology

Dual system, selectable PC module

#### **MAXHUB Ultimate**

(U series)



1.9cm Ultra-thin appearance\*

4K Ultra HD display

Full Lamination Technology

ELED side entry backlight

6 arrays built-in microphone

Three 12-megapixel built-in camera

88.9% screen, flat appearance

P-CAP+EMR Touch

Dual system, standard with PC Module

<sup>\*1.3</sup>cm Ultra narrow frame is only available for 55" MAXHUB Standard.

<sup>\*1.9</sup>cm Ultra-thin appearance is measured with the thinnest part of MAXHUB Ultimate Series.

VO		CI_1 F	
ХЗ	Conference	Flat F	'anel

Specification	X3 Standard (S Series)	X3 Ultimate (U Series)				
Display						
Size	55/65/75/86/98"	65/86"				
Display Ratio	1	16:9				
Backlight	DLED	ELED				
Resolution	3840(H)×2160(V)					
Viewing Angle	Horizontal 178°, Vertical 178°					
Touch System						
Glass Material	Anti-glare Toughened Glass	Smooth Anti-glare Tempered Glass				
Sensing Type	Infrared	P-CAP+EMR				
Touch Point	20 points					
Touch Mode	Finger+Opaque Object(≥2mm) Finger+Electromagnetic Pen					
Touch Accuracy	±1mm					
Electromagnetic Pen Accuracy	- 0.5mm					
	Camera					
Location	Top×1	Left×1 Right×1 Top×1				
Pixels	8-megapixels	12-megapixels				
Automatic Control	Automatic White Balance, Adaptive Ambient Brightness					
Lens Distortion	≤1%					
Smart Switch	Support					
Face Recognition	Support					

## X3 Conference Flat Panel

Specification	X3 Standard (S Series)	X3 Ultimate (U Series)				
Microphone Array						
Directivity	Front					
Pickup Distance	8m					
Quantity	6					
Sampling Frequency	16KHz					
Sampling Rate	16bit					
Automatic Control	Automatic Control Automatic Gain, Automatic Noise Reduction					
Echo Cancellation	Support					
Auditory Localization	Support					
Speaker						
Frequency-domain	80Hz~20KHz					
Speaker Quantity	3					
Acoustic Chamber Quantity	3					
Stereo	Support					

# X3 Conference Flat Panel

Specification	X3 Standard (S Series)	X3 Ultimate (U Series)				
Operating System						
CPU	Dual A73					
Dominant Frequency	1.2GHz					
GPU	5 Core Graphic Acceleration Chip					
RAM	2G					
ROM	32G					
Operating System	Android 7.0, Optional Windows 10	Android 7.0+Windows 10				
	PC Module					
PC Type	Ultra-thin Pluggable Intel® Core					
CPU	Intel® Core i3/ i5 / i7 (Optional)					
RAM	DDR4 8G / 16G (Optional)					
ROM	128G / 256G (Optional)					
GPU	Intel® HD Graphics					
Environment Requirement						
Power	100-240V~ 50 / 60Hz					
Altitude	Below 5000m					
Standby Power Consumption	≤0.5W					

# MAXHUB Integrated LED Display Terminal

MAXHUB Integrated LED Display Terminal, is suitable for meeting rooms, exhibition halls, lecture halls and other large scenes, offering you the visual experience of giant screen cinema. The outstanding interaction design and mirroring technology of MAXHUB make your presentation smarter and superior.

138/165/176/220"



40mm Ultra-thin design




One-click turn on and instant use



Modularized machine case and easy installment



Front disassembly maintenance saves space



# **Integrated LED Display Terminal**

Specification	138"LED Display Terminal	165"LED Display Terminal	220"LED Display Terminal
Pixel Pitch	1.5mm	1.9mm	2.5mm
Screen Display Size	3050mm (Width)× 1715mm (Height)	3660mm (Width)× 2058mm (Height)	4880mm (Width)× 2744mm (Height)
Display Ratio	16: 9	16: 9	16: 9
Resolution	1920×1080	1920×1080	1920×1080
Luminance	50–500cd/m² Adjustable	50-500cd/m² Adjustable	100–500cd/m² Adjustable
Contrast Ratio	4000 : 1	4500 : 1	5000 : 1
Viewing Angle	Horizontal 160°, Vertical 140°	Horizontal 160°, Vertical 140°	Horizontal 160°, Vertical 140°
Average Power Consumption	0.82KW	1.11KW	1.44KW
Screen Body Material	Aluminum		
Input Port	HDMI		
Installation Method	TV Base/Wall Mount/Ceiling Mount		
Operational Method	Turn On with One Click		
Life Length	100000h		
Maintenance	Front Disassembly Maintenance		



# Small Size, but high performance, and exceptional experience

Android 7.1 system ultra-large Storage

Support 2.4GHz/5GHz double-frequency Wi-Fi

No stuttering

Smooth HD video playback

6 Core 4 GB 16 GB



# Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us

#### **Financial Industry Cases**



Guotian Godantios

# Application scenarios: Mobile Bank Service / Sitting Rooms / Financial Information Display / Data Visualization / Remote Investment Advisor VIP Service

- Mobile Bank Mirroring display, interactive presentation
- Micro-salon financial products show and interpretation
- Paperless promotion in halls, financial information scrolling broadcast
- Marketing data dynamic exhibition, convenient analysis and communication
- Remote guidance and investment advisor VIP service

#### **Government Affairs Industry Cases**









Party College of Ordos Party Committee

Data Center of Shandong MSA

Zhejiang Provincial Government Affairs Hall

Judicial Mediation Centre of Ulanqab

# Application Scenarios: Local Meetings / Remote Meetings/ Party Building Work Display / Party Building Training

- Government Local/ Remote Command and scheduling
- Cross-regional video conferencing breaks the limitation of distance
- "Three meetings and one class" sessions. Party conference resolutions display
- Party lecture, training, and communication

#### Manufacture Industry Cases



FAW-Volkswagen

Jaguar Land Rover

DEEJ

Guangzhou Automobile Group

#### Application Scenarios: Data Visualization / VR Selecting Car / Design Discussion

- Data board and report form post, directly perceive business information
- Instantly display manufacture data, convenient for discover and discussing important issues
- 4S shop 360° car selecting, HD car images and specification display
- Easy drawing and writing, contribute to effective discussion and communication of brainstorm for designing

#### Real Estate Industry Cases







Country Garden Group



China Resources Land



Gemdale Group

Application Scenarios: 3D house selection / The show homes introduction / Sand Table observation / Information publication / CAD Display

- The show homes presentation on screen
- Fully show details of supporting facilities
- Instant publish housing promotion information

- 3D house type design demonstration makes decoration display clearer.
- HD CAD drawing display, effective interaction and communication

### **Internet Industry Cases**









Tencent Sougou Sina Weibo

# Application Scenarios: Meeting room upgrading / In-house training / Cross-regional teleconference / Exhibition

- Regular meetings, brainstorming, writing, and communication.
- Review meetings, project presentation and analysis

- In-house training, PPT explanation and interaction
- Cross-regional remote communication, convenient and fluid video conference

#### **Medical Industry Cases**









Southwest Hospital

Anhui Provincial Hospital

Circle Harmony

Hubei(Wuhan University) People's Hospital

# Application Scenarios: Remote multidisciplinary consultation / Remote academic training / Diagnosis interpretation / Release of information

- Remote multidisciplinary consultation, comprehensive analysis, and objective judgement of patients'
- Local and remote academic communication, real time medical record sharing
- Clear medical imaging sharing, easy to interpret diagnostic results
- Rolling display of health information, promotional video、and specialist profile



# More than 170 China's top 500 enterprises are using MAXHUB



# Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us

Thickness

1.9cm

Screen-to-body Ratio

88.9%



## Anti-glare Glass

Exquisite appearance displays the artisan spirit

Real flat glass panel\* presents the beauty of technology

Ultra-smooth surface brings you fantastic tough experience

Professional anti-glare technology displays sharper images



## Ultra-large direct bonding Screen

Edge-cutting technology makes a big difference


Real images, no deflection

Direct bonding of glass and LCD panel\*


Effective anti-fog solution


High proximity between penpoint and writing trail

Conventional Panel Interlayer between glass and LCD panel ≥3cm



MAXHUB Ultra-thin Panel
Direct bonding Screen





#### **HD Cameras**

HD triple cameras design gives you insights into details

Built-in triple 12-megapixel HD cameras\*

Left+right+top camera distribution creates broader horizon

Top built-in camera brings you deeper vision

Cameras coordinated with microphones locate sound resource, and intelligent screen switching

# **Array Microphones**

Auditory localization system manifests advantages in the industry

Smart ambient noise filtration

Six built-in array microphones\*

Auditory localization system

Automatic gain according to the distance





# High Quality Speakers

Hi-Fi sound effect satisfies high quality requirement

Three special acoustic cavity structure design

80Hz to 20KHz wide frequency domain \*

Independent bass unit\* creates rich and wide sound effects.

Support human voice mode, and restore real human voice in video

# MAXHUB Integrated LED Display Terminal



40mm Ultra-thin design



Modularized machine case and easy installment



One-click turn on and instant use



Front disassembly maintenance saves space



4 size options



2K HD LED lattice



Writing Presentation Collaboration



## **Touch Writing**

#### Dual-pen Writing




Support two MAXHUB Touch Pen writing simultaneously\*, with optional colors to choose, boosting your writing efficiency and collaborative productivity.


Convenient Erasing, zooming, dragging and dropping, roaming etc. gesture control, extends writing zone and makes writing easier.

**Smart Gesture Control** 


# **Graphic Intelligent Recognition**




# Intelligent Table



### **PPT Free Annotation**







PPT Slide 1

PPT Slide 2

### Mini Blackboard



Drag mini blackboard out from the bottom with Touch Pen or fingers



## Simple and Easy UI Design



### Wireless Mirroring Presents Fluently and Stably

Touch and share, easy mirroring



Free multi-terminals connection\* can be achieved on PC or mobile devices with wireless mirroring and related software.

Smartphone and tablets can be connected through QR code.

Convenient switch and 4-split mirroring



Multi-terminal mirroring supports up to 8 devices connection at the same time, with convenient switch. It supports at most 4 devices( smartphone, tablet, and PC ) mirroring simultaneously and provides you a clear comparison.

### Multi-screen Interaction Eliminates Cable Limitation

## Control back devices through MAXHUB



Control back devices through MAXHUB Wireless Mirroring\*. No need to frequently commute between PC and Screen, making your presentation outstanding.

## Synchronous sharing with mobile device



Controlling Conference Flat Panel with smartphone or tablet, you can write, annotate, present, and scan documents etc., achieving two-way interaction.

Control back devices through MAXHUB: it only supports PC mirroring

<sup>\*</sup>Synchronous sharing with mobile device: it supports devices with Android 5.0 and updated versior operating systems.

wo-way interaction can be achieved with MAXHUB Mirroring Assistant APP.



## Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us













## MAXHUB Intelligent EMR pen

Writing, page turning, and voice-to-text with Intelligent EMR pen, frees your imagination and records inspiration.

Small body, but sophisticated technology. Press harder for thicker lines, lighter for thinner ones. Using it is completely natural and intuitive.

0.04s response time \*

0.5mm

delicate writing\*

1024 levels

pressure sensitivity

\* 0.04s response time: Data are collected based on the MAXHUB Lab environment without other interference and tested with SP08 EMR pen and whiteboard application of MAXHUB conference flat panel, in Android/PC Channel and with 3840\*2160 screen resolution machine.

\* MAXHUB X3 Ultimate Series and Premium have the function of delicate writing.

## Electrical Trolley, easy control and free adjustment

90 degree flip and flexible height adjustment, it is your workbench of creativity.

MAXHUB Conference Flat Panel can be flipped backward up to 90 degree with the controller. Flexible height offers you the most comfortable working experience like your are writing, designing, and working on a real table, boosting your creativity.



#### Touch Pen

#### Intelligent EMR pen

#### PC Module MT31

#### PC Module MT23









- Black, silver: 2 color options
- Power supply mode: active power source
- Flexible thickness of writing lines
- 1024 levels pressure sensitivity
- Dual-pen writing, and intelligently recognizing hand and pen.
- Available for Premium and Ultimate Series

- Remote control technology: RF
   2.4GHz
- Control distance≤15m
- Built-in Lithium Battery 260mAh
- Magnetic induction wireless charging base, USB power
- Voice-to-text, PPT slide turning, electromagnetic writing
- Available for Premium and Ultimate Series

- Intel core 7<sup>th</sup> generation processor
- Intel Core i5 / i7 (optional)
- RAM 8GB / 16GB (optional)
- SSD 128GB / 256GB (optional)
- Integrated Graphic Card: Intel® HD Graphics
- HDMI output \* 1
- Headphone output \* 1,Microphone input\* 1
- Available for Premium, Ultimate, and Standard Series

- Intel core 7th generation processor
- Intel Core i3 / i5 (optional)
- RAM 4GB/8GB (optional)
- SSD 128GB (optional)
- Integrated Graphic Card: Intel® HD Graphics
- RJ45 \* 1, Microphone input \* 1
- HDMI output \* 1, DP output \* 1, headphone output \* 1
- · Available for Elite Series

47

#### Intelligent Pen

#### Camera

# Wireless Screen Sharing Dongle

# Container for Touch Pen and Dongle










- RF2.4GHz Remote Control
   Technology, 15m Control Distance
- One AAA battery, compatible with USB1.1, USB2.0, USB3.0 port
- PPT slide turning
- Fluid switch between writing, annotation, and whiteboard function
- Available for Standard and Elite Series

- 1080P 30fps USB output
- 90° Angle, FF fixed focus lens
- Double array microphones, 5 meters voice picking-up
- WindowsXP/Windows7/
   Windows 8.1/Android4.4.3 and
   updated operating systems
- Echo cancellation
- Available for Elite Series

- One button design, click and share
- Control back through MAXHUB and extend screen display
- Video, audio, and touch signal transmission
- 4-split screen, control back through any of them
- Reliable and stable 5G frequency band
- Low power consumption, no power supply is needed, 15m transmission distance
- Support Windows 7, macOS 10.10, and updated operating systems
- Connecting up to 8 PC simultaneously

- Contracted and exquisite design
- Elegant metal texture
- Endurable ABS plastic inside
- Available for 2 dongles and 2 pens

## Mobile Stand (ST26)



## Large Mobile Stand (ST23A)



#### **Electrical Trolley**



#### Camera Mount



- Small size saves space
- Flexible installation comes with a pallet
- 360 degree mute wheels for easy movement
- Flexible height adjustment, and free vision control
- Compatible with 55 / 65" devices

- Elegant and contracted metal appearance
- Come with a pallet, support front and back installation
- 360 degree mute wheels for easy movement
- Flexible height adjustment, and free vision control
- Compatible with 75 / 86" devices

- Elegant texture and appearance, humanized design
- Flexible installation comes with a pallet
- 360 degree mute wheels for easy movement
- Flexible height adjustment, and free vision control
- Built-in cables create neat appearance
- Electric lift to adjust height and angle\*
   90–180 degree tilt
- Compatible with 55 / 65 / 75 / 86 " devices

- Long chute design, support up to 3kg
- Compatible with Mobile Stand and Wall Mount installation
- Special fixation design, easy to install.
- Compatible with 55 / 65 / 75 / 86 " devices

## Content

- Product applications
- Product series
- Application scenarios

- Core advantages
- Peripherals
- About us



## Leading Technology, Quality Assurance

Our company has been focusing on technology exploration and innovation. Over 1800 Licensed Patents in the field of touch control, speech processing, human-computer interaction, image processing, and two-way transmission of wireless signals create MAXHUB Efficient Conference Platform.



The most patent applications in Guangzhou



With over 1800 Licensed Patents\*



243 Patents of Invention\*



The National Outstanding Intellectual Property Award







**CVTE I Enterprise Service Group** 

© Guangdong, China Øwww.maxhub.vip/en